



卫星导航干扰信号模拟源

产品概述

F%#+4



9@EE

性能特点



- F%#+4)""?: lžš)""?: l!("""? : l
- "p&W4_ \$"l "ž V4
- 46E!9BE!9>A@3EE!9S↑Vđ
- 4BE= CBE= #(C3? (&C3? 3E=
- 3? !8? !B?
- \$!%&' 9@D
- #""?: l
- #"_
- \$"" j (" j \$" _ _ &ž]Y
- 'ž*

典型应用



(1) 扫频干扰模式





(2) 脉冲干扰模式:



(3) 宽带干扰模式:



(4) 窄带干扰模式:



端口说明



技术指标

电气特性	
	"V4_ p&W/4_ \$"I
	#"]: I
	" z V4
	f #V4 f #Z V4
	ž "V4U \$"]: I
	ž# V4U
	. Ž+ V4U: I 2 #9: I \$"]: I a eW
	" p t' "
	Ž& , 5 p t' " , 5
机械特性	
	\$" "° # #"° \$% _ _ /\$ " I fi
	&z]Y
	@
	\$\$" H 35 \$*H 65 #&" I
	I [8[

配置清单

标配型号	
FEBFŽ3E" #%	\$*H' 3 - #&' l
FEBFŽ3E" #&	FBŽ;>@] GE4 F>Ź 6@' \$" "
FEBFŽ3E" #'	3BB
FEBFŽE" " #	' _ @ @<Ź@< EHKŽ " Ž
FEBFŽE" " +	
FEBFŽE" "#	
FEBFŽ " # \$	
FEBFŽ3E" #((+*Ž+("? : l!#) #" Ž\$) " " ? : l

